

REFERENCES

- [1] P. Aigrain, P. Joly, and V. Longueville, "Medium knowledge-based macro-segmentation of video into sequences," in *IJCAI Workshop on Intelligent Multimedia Information Retrieval*, pages 5-14, 1995.
- [2] H. Aoki, S. Shimotsuji, and O. Hori, "A shot classification method of selecting effective key-frames for video browsing," in *Proc. ACM Conf. on Multimedia*, 1995.
- [3] E. M. Arkin, L. Chew, D. Huttenlocher, K. Kedem, and J. Mitchell, "An efficiently computable metric for comparing polygonal shapes," *IEEE Trans. Patt. Recog. and Mach. Intell.*, 13(3), March 1991.
- [4] F. Arman, A. Hsu, and M.-Y. Chiu, "Feature management for large video databases," in *Proc. SPIE Storage and Retrieval for Image and Video Databases*, 1993.
- [5] K. Barnard and D. A. Forsyth, "Learning the semantics of words and pictures," *Int'l Conf. on Computer Vision*, Vancouver, 2001.
- [6] H. G. Barrow, "Parametric correspondence and chamfer matching: Two new techniques for image matching," in *Proc 5th Int. Joint Conf. Artificial Intelligence*, 1977.
- [7] G. Baudat and F. Anouar. "Generalized discriminant analysis using a kernel approach," *Neural Computation*, vol. 12, no. 10, pp. 2385-2404, 2000.
- [8] S. Belongie, J. Malik, and J. Puzicha, "Shape matching and object recognition using shape contexts," *IEEE Trans. Pattern Anal. and Machine Intell.*, 24(4), pp. 509-522, April 2002.
- [9] M. J. Black and P. Anadan, "Robust estimation of multiple motion: Parametric and piecewise-smooth flow fields," *Computer Vision and Image Understanding*, vol. 63, no. 1, pp. 75-104, 1996.
- [10] P. Bocheck and S.-F. Chang, "Content-based VBR traffic modeling and its application to dynamic network resource allocation," *Columbia Univ., New York, Res. Rep. 48c-98-20*. 1998.
- [11] R. M. Bolle, B.-L. Yeo, and M. M. Yeung, "Video query: Beyond the keywords," *Technical report, IBM Research Report*, Oct 17 1996.
- [12] J. S. Boreczky and L. A. Rowe, "Comparison of video shot boundary detection techniques," in *Proc. SPIE Storage and Retrieval for Image and Video Databases*, 1996.

References

- [13] G. Borgefors, "Hierarchical chamfer matching: A parametric edge matching algorithm," *IEEE Trans. Patt. Recog. and Mach. Intell.*, 1988.
- [14] Y. Boykov and M.-P. Jolly, "Interactive graph cuts for optimal boundary and region segmentation of objects in N-D images," in *Proc. Int'l Conf. On Computer Vision*, pp. 105-112, 2001.
- [15] Y. Boykov, O. Veksler, and R. Zabih, "Fast approximate energy minimization via graph cuts," *IEEE Trans. Pattern Anal. Machine Intell.*, 23(11):1222-1239, 2001.
- [16] S. Bres and J.-M. Jolion, "Detection of interest points for image indexing," *3rd Int'l Conf. on Visual Information Systems(Visual99)*, pp. 427-434, Amsterdam, 1999.
- [17] J. Canny, "Collaborative filtering with privacy via factor analysis," *ACM SIGIR*, Tampere Finland, August 2002.
- [18] C. Carson, S. Belongie, H. Greenspan, and J. Malik, "Blobworld: Image segmentation using Expectation-Maximization and its application to image querying," *IEEE Trans. Pattern Anal. Machine Intell.*, 24(8), pp. 1026-1038, Aug. 2002.
- [19] P. Chang and J. Krumm, "Object recognition with color cooccurrence histograms," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, vol. 2, Colorado, June 1999, pp. 498-504.
- [20] T. Chang and C.-C. Kuo, "Texture analysis and classification with tree-structured wavelet transform," *IEEE Trans. Image Proc.*, 2(4), pp.429-441, October 1993.
- [21] H. Chen and D. T. Ng, "An algorithmic approach to concept exploration in a large knowledge network," *J. Am. Soc. Information Science*, vol. 46, no.5, pp. 348-369, June 1995.
- [22] H. Chen, B. Schatz, T. Ng, J. Martinez, A. Kirchhoff, and C. Lin, "A parallel computing approach to creating engineering concept spaces for semantic retrieval: The Illinois digital library initiative project," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 18, no. 8, pp. 771-782, Aug. 1996.
- [23] J.-Y. Chen, C. A. Bouman, and J. Dalton, "Hierarchical browsing and search of large image databases," *IEEE Trans. on Image Processing*, vol. 9, no. 3, pp. 442-455, March 2000.
- [24] Y. Chen, X. S. Zhou, and T. S. Huang, "One-class SVM for learning in image retrieval," in *IEEE Int'l Conf. on Image Processing*, Thessaloniki, Greece, Oct. 2001.
- [25] T. S. Chua, K.-L. Tan, and B. C. Ooi, "Fast signature-based color-spatial image retrieval," in *Proc. IEEE Conf. on Multimedia Computing and Systems*, 1997.
- [26] G. C.-H. Chuang and C.-C. J. Kuo, "Wavelet descriptor of planar curves: Theory and applications," *IEEE Trans. Image Proc.*, 5(1):56-70, January 1996.

- [27] D. Comaniciu and P. Meer, "Distribution free decomposition of multivariate data," *Pattern Analysis and Applications*, vol. 2, pp. 22-30, 1999.
- [28] D. Comaniciu and P. Meer, "Mean shift: A robust approach toward feature space analysis," *IEEE Trans. Pattern Anal. Machine Intell.*, 24, 603-619, May 2002.
- [29] P. Comon, "Independent component analysis – a new concept?" *Signal Processing*, vol. 36, pp. 287-314, 1994.
- [30] D. Copper and Z. Lei, "On representation and invariant recognition of complex objects based on patches and parts," *Springer Lecture Notes in Computer Science series, 3D Object Representation for Computer Vision*, M. Hebert, J. Ponce, T. Boult, A. Gross, ed., pp. 139-153, 1995.
- [31] T. Cover and J. Thomas, *Elements of Information Theory*. New York: John Wiley & Sons, Inc., 1991.
- [32] T. H. Corman, C. E. Leiserson, and R. L. Rivest, *Introduction to Algorithms*. New York: McGraw-Hill, 1997.
- [33] I. J. Cox, M. Miller, T. Minka, and P. Yianilos, "An optimized interaction strategy for Bayesian relevance feedback," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, Santa Barbara, CA. June 1998, pp. 553-558.
- [34] T. Cox and M. Cox, *Multidimensional Scaling*. London: Chapman & Hall, 1994.
- [35] G. C. Cross and A. K. Jain, "Markov random field texture models," *IEEE Trans. Patt. Recog. and Mach. Intell.*, 5, pp. 25-39, 1983.
- [36] D. Daneels, D. Campenhout, W. Niblack, W. Equitz, R. Barber, E. Bellon and F. Fierens, "Interactive outlining: An improved approach using active contours," in *Proc. SPIE Storage and Retrieval for Image and Video Databases I*, San Jose, 1993.
- [37] A. P. Dempster, N. M. Laird, and D. B. Rubin, "Maximum likelihood from incomplete data via the EM algorithm," *J. Royal Statistical Society*, B, vol. 39, no. 1, pp. 1-38, 1977.
- [38] R. O. Duda and P. E. Hart, *Pattern Classification and Scene Analysis*. New York: John Wiley & Sons, Inc., 1973.
- [39] Y. Dufournaud, C. Schmid, R. Horaud, "Image matching with scale adjustment," *Rapport de recherche de l'INRIA Rhône-Alpes numéro Research Report*, RR 4458, May 2002.
- [40] W. Equitz and W. Niblack, "Retrieving images from a database using texture - algorithms from the QBIC system," *Technical Report RJ 9805, Computer Science, IBM Research Report*, May 1994.
- [41] C. Faloutsos, M. Flickner, W. Niblack, D. Petkovic, W. Equitz, and R. Barber, "Efficient and effective querying by image content," *Technical report, IBM Research Report*, 1993.
- [42] J. Q. Fang and T. S. Huang, "A corner finding algorithm for image analysis and registration," in *Proc. AAAI Conf*, pages 46--49, 1982.

References

- [43] W.-C. Feng and J. Rexford, "Performance evaluation of smoothing algorithms for transmitting VBR video," *IEEE Trans. on Multimedia*, vol. 1, no. 3, pp. 302-312, 1999.
- [44] M. Flickner, et al., "Query by image and video content: the qbic system," *IEEE Computers*, vol. 28, no. 9, pp. 23-32, Sept. 1995.
- [45] R. M. Ford, C. Robson, D. Temple, and M. Gerlach, "Metrics for scene change detection in digital video sequences," in *Proc. IEEE Conf. on Multimedia Computing and Systems*, 1997.
- [46] D. Forsyth and M. M. Fleck, "Finding people and animals by guided assembly," in *IEEE Int'l Conf. on Image Processing*, Santa Barbara, CA, Oct. 1997.
- [47] D. Forsyth and J. Ponce, "Computer vision: A modern approach," Prentice Hall, Upper Saddle River, NJ, 2002.
- [48] Y. Freund and R. E. Schapire, "A short introduction to boosting," *Journal of Japanese Society for Artificial Intelligence*, vol. 14, no. 5, pp. 771-780, Sept. 1999.
- [49] J. Friedman, "Regularized discriminant analysis," *Journal of American Statistical Association*, vol. 84, no. 405, pp. 165-175, 1989.
- [50] Y. Freund, R. Iyer, R. E. Schapire, and Y. Singer, "An efficient boosting algorithm for combining preferences," in *Proc. 15th Int'l Conf. on Machine Learning*, 1998, pp. 170-178.
- [51] K. Fukunaga, *Introduction to Statistical Pattern Recognition*. New York: Academic Press, 1971.
- [52] G. Ghinea and J.P. Thomas, "QoS impact on user perception and understanding of multimedia video clips," in *Proc. 6th ACM Int'l Conf. on Multimedia*, Bristol, England, Sept. 12-16, 1998, pp. 49-54.
- [53] M. H. Gross, R. Koch, L. Lippert, and A. Dreger, "Multiscale image texture analysis in wavelet spaces," in *Proc. IEEE Int. Conf. on Image Proc.*, 1994.
- [54] Y. Gong, L. T. Sin, C. H. Chuan, H. Zhang, and M. Sakauchi, "Automatic parsing of tv soccer programs," in *Proc. IEEE Conf. on Multimedia Computing and Systems*, 1995.
- [55] R. C. Gonzalez and R. E. Woods, *Digital Image Processing*. Reading, MA: Addison-Wesley, 1992.
- [56] C. C. Gotlieb and H. E. Kreyzig, "Texture descriptors based on co-occurrence matrices," *Computer Vision, Graphics, and Image Processing*, 51, 1990.
- [57] P. O. Gresle and T. S. Huang, "Gisting of video documents: A key frames selection algorithm using relative activity measure," in *2nd Int'l Conf. on Visual Information Systems*, 1997.
- [58] B. Günsel, A. Murat Tekalp, and P.J.L. van Beek. Content-based access to video objects : temporal segmentation, visual summarization and feature extraction. *Signal Processing*, 66:261--280, 1998.

- [59] A. Hampapur, R. Jain, and T. Weymouth, "Digital video segmentation," in *Proc. ACM Conf. on Multimedia*, 1994.
- [60] R. M. Haralick, K. Shanmugam, and I. Dinstein, "Texture feature for image classification," *IEEE Trans. on System, Man, and Cybernetics*, vol. 3, no. 1, pp. 610-621, Nov. 1973.
- [61] C. Harris and M. Stephens, "A combined corner and edge detector," in *Alvey Vision Conf.*, 1988, pp. 147-151.
- [62] A. Hauptmann, T.D. Ng, R. Baron, W. Lin, M. Chen, M. Derthick, M. Christel, R. Jin, and R. Yan, "Video classification and retrieval with the Informedia digital video library system," *Text Retrieval Conf. (TREC02)*, Gaithersburg, MD, November, 2002.
- [63] D. Heisterkamp, J. Peng, and H.K. Dai, "An adaptive quasiconformal kernel metric for image retrieval," in *Proc IEEE Conf. on Computer Vision and Pattern Recognition*, Hawaii, Dec. 2001.
- [64] P. Hong, Q. Tian, and T. S. Huang, "Incorporate support vector machines to content-based image retrieval with relevance feedback," in *IEEE Int'l Conf. on Image Processing*, Vancouver, Canada, Sept. 2000.
- [65] P. Hong and T. S. Huang, "Spatial pattern discovering by learning the isomorphic sub-graph from multiple attributed relation graphs," *8th Int'l Workshop on Combinatorial Image Analysis*, PA, 2001.
- [66] T. S. Huang and X. S. Zhou, "Image retrieval with relevance feedback: From heuristic weight adjustment to optimal learning methods," in *IEEE Int'l Conf. on Image Processing*, Thessaloniki, Greece, Oct. 2001.
- [67] T. S. Huang, S. Mehrotra, and K. Ramchandran, "Multimedia analysis and retrieval system (MARS) project," in *Proc. 33rd Annual Clinic on Library Application of Data Processing - Digital Image Access and Retrieval*, 1996.
- [68] M. K. Hu, "Visual pattern recognition by moment invariants," *IRE Trans. on Information Theory*, vol. 8, pp. 179-187, 1962.
- [69] J. Huang, S. R. Kumar, M. Mitra, W.-J., Zhu, and R. Zabih, "Image indexing using color correlograms," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, San Juan, Puerto Rico, 1997, pp. 762-768.
- [70] M. Ioka, "A method of defining the similarity of images on the basis of color information," *Technical Report RT-0030, IBM Research*, Tokyo Research Laboratory, Nov. 1989.
- [71] Q. Iqbal and J. K. Aggarwal, "Applying perceptual grouping to content-based image retrieval: Building images," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 1999, pp. 42-48.
- [72] Y. Ishikawa, R. Subramanya, and C. Faloutsos, "MindReader: Query databases through multiple examples," in *Proc. The 24th Int'l Conf. on Very Large Data Bases*, New York, 1998, pp. 433-438.

References

- [73] A. K. Jain, *Fundamentals of Digital Image Processing*. Englewood Cliffs, NJ: Prentice Hall, 1989.
- [74] C. Jutten and J. Herault, "Blind separation of sources," *Signal Processing*, vol. 24, pp. 1-10, 1991.
- [75] D. Kapur, Y. N. Lakshman, and T. Saxena, "Computing invariants using elimination methods," in *Proc. IEEE Int. Conf. on Image Proc.*, 1995.
- [76] R. Kasturi and R. Jain, "Dynamic vision," in *Computer Vision: Principles*, 1991.
- [77] J. J. Koenderink and A. J. van Doorn, "Representation of local geometry in the visual system," *Biological Cybernetics*, vol. 55, pp. 367-375, 1987.
- [78] R. Koenen, "MPEG-4: Multimedia for our time," *IEEE Spectrum*, vol. 36, no. 2, pp. 26-33, 1999.
- [79] A. Kundu and J. Chen, "Texture classification using qmf bank-based subband decomposition," *CVGIP: Graphical Models and Image Processing*, 54(5), pp. 369-384, September 1992.
- [80] J. T. Laaksonen, J. M. Koskela, S. P. Laakso, and E. Oja, "PicSOM - content-based image retrieval with self-organizing maps," *Pattern Recognition Letters*, vol. 21, no. 13-14, pp. 1199-1207, Dec. 2000.
- [81] A. Laine and J. Fan, "Texture classification by wavelet packet signatures," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 15, pp. 1186-1191, 1993.
- [82] H. Lee, A. Smeaton, C. Berrut, N. Murphy, S. Marlow, and N. O'Connor, "Implementation and analysis of several keyframe-based browsing interfaces to digital video," in *Proc. of the 4th Euro. Conf. on Digital Libraries*, Lisbon, Portugal, September 2000.
- [83] J. S. Lee, Y. N. Sun and C. H. Chen, "Wavelet transformation for gray-level corner detection," *IEEE Trans. on Image Processing*, Vol. 4, No. 1, pp. 100-104, 1995.
- [84] Z. Lei, D. Keren, and D. B. Cooper, "Computationally fast bayesian recognition of complex objects based on mutual algebraic invariants," in *Proc. IEEE Int. Conf. on Image Proc.*, 1995
- [85] B. Li and S. D. Ma, "On the relation between region and contour representation," in *Proc. IEEE Int. Conf. on Image Proc.*, 1995.
- [86] X. Q. Li, Z. W. Zhao, H. D. Cheng, C. M. Huang, and R. W. Harris, "A fuzzy logic approach to image segmentation," in *Proc. IEEE Int. Conf. on Image Proc.*, 1994.
- [87] J. Li, et al., "Bi-level video: Video communication at very low bit rate," in *Proc. 9th ACM Int'l Conf. on Multimedia*. Ottawa, Canada. Sept. 2001, pp. 392-400.
- [88] R. R.-F. Liao, P. Boukelee, and A. T. Campbell, "Dynamic generation of bandwidth utility curves for utility-based adaptation," in *Packet Video'99*, Columbia University, New York City, April, 1999.

- [89] T. Lindeberg, *Scale-Space Theory in Computer Vision*, Kluwer Academic Publishers, Dordrecht, Netherlands, 1994.
- [90] S. Liou, R. Hjelsvold, R. Depommier, and A. Hsu, "Efficient and reliable digital media archive for content-based retrieval," *ACM Multimedia Systems*, vol. 7, no. 4, pp. 256-268, 1999.
- [91] T. Liu and J. R. Kender, "Optimization algorithms for the selection of key frame sequences of variable length," in *Proc. of Euro. Conf. on Computer Vision (ECCV)*, 2002.
- [92] T. Liu and J. R. Kender, "Time-constrained dynamic semantic compression for video indexing and interactive searching," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, 2001.
- [93] E. Louprias, N. Sebe, S. Bres and J-M. Jolion, "Wavelet-based salient points for image retrieval," in *Proc. Int'l Conf. on Image Processing*, Vancouver, Canada, 2000.
- [94] D. G. Lowe, "Object recognition from local scale-invariant features," in *Proc. Int'l Conf. on Computer Vision*, Greece, pp. 1150-1157, 1999.
- [95] H Lu, B. Ooi, and K. Tan, "Efficient image retrieval by color contents," in *Proc. Int. Conf. on Applications of Databases*, 1994.
- [96] Y. Lu, C. Hu, X. Zhu, H. J. Zhang and Q. Yang, "A unified framework for semantics and feature based relevance feedback in image retrieval systems," *ACM Multimedia Conf.*, CA. 2000.
- [97] M. Lybanon, S. Lea, and S. Himes, "Segmentation of diverse image types using opening and closing," In *Proc. IEEE Int. Conf. on Image Proc.*, 1994.
- [98] W. Y. Ma and B. S. Manjunath, "A comparison of wavelet transform features for texture image annotation," in *Proc. IEEE Int. Conf. on Image Proc.*, 1995.
- [99] W. Y. Ma and B. S. Manjunath, "Edge flow: a framework of boundary detection and image segmentation," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, 1997.
- [100] S. D. MacArthur, C. E. Brodley, and C. Shyu, "Relevance feedback decision trees in content-based image retrieval," in *Proc. of the IEEE Workshop on Content-Based Access to Image and Video Libraries*, June 2000, pp. 68-72.
- [101] C. S. McCamy, H. Marcus, and J. G. Davidson, "A color-rendition chart," *J. Applied Photographic Eng.*, vol. 2, no. 3, pp. 95-99, 1976.
- [102] B. M. Mehtre, M. Kankanhalli, and W. F. Lee, "Shape measures for content based image retrieval: A comparison," *Information Processing & Management*, 33(3), 1997.
- [103] C. Meilhac and C. Natar, "Relevance feedback and category search in image databases," in *Proc. IEEE Int'l Conf. on Multimedia Computing and Systems*, Florence, Italy, June 1999, pp. 512-517.
- [104] J. Meng, Y. Juan, and S.-F. Chang, "Scene change detection in a mpeg compressed video sequence," in *SPIE Symposium on Electronic*

References

- Imaging: Science & Technology- Digital Video Compression: Algorithms and Technologies*, 1995.
- [105] S. Mika, G. Ratsch, and K.-R. Muller, "A mathematical programming approach to the kernel Fisher algorithm," in *Advances in Neural Information Processing Systems (NIPS)*, vol. 13, T. Leen, T. Dietterich, and V. Tresp, Eds., Cambridge, MA: The MIT Press, 2001, pp. 591-597.
- [106] K. Mikolajczyk and C. Schmid, "Indexing based on scale invariant interest points," in *Proc. Int'l Conf. on Computer Vision*, pp. 525-531, July 2001.
- [107] K. Mikolajczyk and C. Schmid, "An affine invariant interest point detector," in *European Conf. on Computer Vision*, vol. 1, pp. 128-142, 2002.
- [108] K. Mikolajczyk and C. Schmid, "A performance evaluation of local descriptors," in *IEEE Conf. on Computer Vision and Pattern Recognition*, June 2003.
- [109] M. Miyahara, "Mathematical transform of (R, G, B) color data to Munsell (H, S, V) color data," in *Proc. SPIE Visual Communications and Image Processing*, vol. 1001, pp. 650-657, 1988.
- [110] B. Moghaddam, H. Biermann, and D. Margaritis, "Regions-of-interest and spatial layout in content-based image retrieval," in *European Workshop on Content-Based Multimedia Indexing*, France, Oct. 1999.
- [111] B. Moghaddam, Q. Tian, N. Lesh, C. Shen, and T. S. Huang, "Visualization and user-modeling for browsing personal photo libraries," *International Journal of Computer Vision, Special Issue on Content-Based Image Retrieval*, 2003.
- [112] B. Moghaddam and X. Zhou, "Factorization for probabilistic local appearance models," *IASTED Int'l Conf. on Signal Processing, Pattern Recognition and Applications (SPPRA)*, June 2002.
- [113] A. Mojsilovic, J. Kovacevic, J. Hu, R.J. Safranek, and S.K. Ganapathy, "Matching and retrieval based on the Vocabulary and Grammar of Color Patterns," *IEEE Trans. on Image Proc.*, vol. 9, no. 1, pp. 38-54, 2000.
- [114] H. Moravec, "Toward automatic visual obstacle avoidance," in *Proc. of 5th Int'l Joint Conf. on Artificial Intelligence*, 1977.
- [115] A. Nagasaka and Y. Tanaka, "Automatic video indexing and full-video search for object appearances," in *Visual Database Systems II*, 1992.
- [116] M. R. Naphade, T. Kristjansson, B. Frey, and T. S. Huang, "Probabilistic multimedia objects multijets: A novel approach to indexing and retrieval in multimedia systems," in *Proc. IEEE Int'l Conf. on Image Processing*, vol. 3, Chicago, Oct. 1998, pp. 536-540.
- [117] M. R. Naphade, R. Mehrotra, A. M. fermant, J. Warnick, T. S. Huang and A. M. Tekalp, "A high performance shot boundary detection algorithm using multiple cues," in *Proc. ICIP'98*, Chicago, October 1998

- [118] M. R. Naphade and T. S. Huang, "Extracting semantics from audio-visual content: the final frontier in multimedia retrieval," *IEEE Transactions on Neural Networks*, 13(4), pp. 793-810, 2002.
- [119] S. A. Nene, S. K. Nayar, and H. Murase, "Columbia object image library: COIL-100," Department of Computer Science, Columbia University, Technical Report CU-CS-006-96, 1996.
- [120] C.-W. Ngo, T.-C. Pong, and R. T. Chin, "Detection of gradual transitions through temporal slice analysis," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR '99)*, Vol. I, pp. 36-41, Fort Collins, CO, June 1999.
- [121] C. W. Ngo, T. C. Pong and R. T. Chin, "Camera break detection by partitioning of 2D spatio-temporal images in MPEG domain," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR '99)*, Fort Collins, Colorado, June 1999.
- [122] W. Niblack, R. Barber, et al., "The QBIC Project: Querying images by content using color, texture, and shape", in *Proc. of Storage and Retrieval for Image and Video Databases, Vol. 1908*, pp. 173-187, 1993.
- [123] P. P. Ohanian and R. C. Dubes, "Performance evaluation for four classes of texture features," *Pattern Recognition*, vol. 25, no. 8, pp. 819-833, 1992.
- [124] M. Ortega, Y. Rui, K. Chakrabarti, S. Mehrotra, and T. S. Huang, "Supporting similarity queries in MARS," in *Proc. of ACM Conf. on Multimedia*, 1997.
- [125] A. Paepcke, H. Garcia-Molina, G. Rodriguez-Mula, J. Cho, "Beyond document similarity: Understanding value-based search and browsing technologies," *SIGMOD Records*, 29(1), March 2000.
- [126] G. Pass, R. Zabih, and J. Miller, "Comparing images using color coherence vectors," in *Proc. ACM Conf. on Multimedia*, 1996.
- [127] J. Peng, "Multi-class relevance feedback content-based image retrieval," *Computer Vision and Image Understanding*, Vol. 90, No. 1, pp. 42-67, 2003.
- [128] J. Peng, B. Bhanu, and S. Qing, "Probabilistic feature relevance learning for content-based image retrieval," *Computer Vision and Image Understanding*, vol. 75, pp.150-164, 1999.
- [129] A. P. Pentland, "Fractal-based description of natural scenes," *IEEE Trans. Patt. Recog. and Mach. Intell.*, vol. 6, no. 6, pp. 661-674, 1984.
- [130] E. Persoon and K. S. Fu, "Shape discrimination using Fourier descriptors," *IEEE Trans. on System, Man, and Cybernetics*, vol. 7, no. 2, pp. 170-179, March 1977.
- [131] R. W. Picard, T. P. Minka, and M. Szummer, "Modeling user subjectivity in image libraries," in *Proc. IEEE Int'l Conf. on Image Processing*, Lausanne, Sept. 1996, pp. 777-780.

References

- [132] C. Podilchuk, N. Jayant, and N. Farvardin, "Three dimensional sub-band coding of video," *IEEE Trans. on Image Proc.*, vol. 4, no. 2, pp. 86-99, 1991.
- [133] D. B. Ponceleon, A. Amir, S. Srinivasan, T. Syeda-Mahmood, D. Petkovic, "CueVideo: Automated multimedia indexing and retrieval," *ACM Multimedia Conf.*, 1999.
- [134] K. Rangarajan, M. Shah, and D. V. Brackle, "Optimal corner detector," *Computer Vision, Graphics and Image Processing*, 48, pp. 230-245, 1989.
- [135] A. L. Ratan, O. Maron, W. E. L. Grimson, and T. Lozano-Perez, "A framework for learning query concepts in image classification," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, 1999, pp. 423-429.
- [136] Real.com, "RealPix Authoring Guide," <http://service.real.com/help/library/guides/realpix/realpix.htm>.
- [137] R. Rickman and J. Stonham, "Content-based image retrieval using colour tuple histograms," in *Proc. SPIE Storage and Retrieval for Image and Video Databases*, 1996.
- [138] R. Ronfard, C. Schmid, and Bill Triggs, "Learning to parse pictures of people," in *Proc. Euro. Conf on Computer Vision*, vol. 4, pp. 700-714, Copenhagen, June 2002.
- [139] S. Roweis and L. Saul, "Nonlinear dimensionality reduction by locally linear embedding," *Science*, vol. 290, no.5500, pp. 2323-2326, Dec. 2000.
- [140] Y. Rui, T. S. Huang, and S. Mehrotra, "Content-based image retrieval with relevance feedback in MARS," in *Proc. IEEE Int'l Conf. On Image Proc.*, 1997.
- [141] Y. Rui, T.S. Huang, and S. Mehrotra, "Constructing table-of-content for videos," *ACM Multimedia Systems Journal*, 7(5), pp. 359-368, 1999.
- [142] Y. Rui, X. S. Zhou, and T. S. Huang, "Efficient access to video content in a unified framework," in *Proc. IEEE Inter. Conf. on Multimedia Computing and Systems*, Florence, Italy, June, 1999, pp. 308-313.
- [143] Y. Rui, T. S. Huang, and S.-F. Chang, "Image retrieval: Past, present, and future," *Journal of Visual Communication and Image Representation*, vol. 10, pp. 1-23, 1999.
- [144] Y. Rui, T. S. Huang, M. Ortega, and S. Mehrotra, "Relevance feedback: A power tool in interactive content-based image retrieval," *IEEE Trans. on Circuits and Systems for Video Technology*, vol. 8, no. 5, pp. 644-655, Sept. 1998.
- [145] Y. Rui and T. S. Huang, "Optimizing learning in image retrieval," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, Hilton Head Island, SC, June 2000, pp. 236-243.

- [146] Y. Rui, A. C. She, and T. S. Huang, "Modified fourier descriptors for shape representation - a practical approach," in *Proc. of First Int'l Workshop on Image Databases and Multi Media Search, 1996*.
- [147] Y. Rui, A. C. She, and T. S. Huang, "Automated shape segmentation using attraction-based grouping in spatial-color-texture space," in *Proc. IEEE Int. Conf. on Image Proc.*, 1996.
- [148] M. Safar, C. Shahabi, X. Sun, "Image retrieval by shape: A comparative study," in *Proc. IEEE Int'l Conf. on Multimedia and Expo*, pp. 141-144, 2000.
- [149] G. Salton, *Automatic Text Processing*. Reading, MA: Addison-Wesley, 1989.
- [150] S. Santini and R. Jain, "Integrated browsing and querying for image database," *IEEE Multimedia*, vol. 7, no.3, page 26-39, 2000.
- [151] B. M. Sarwar, G. Karypis, J. A. Konstan, and J. Riedl, "Item-based collaborative filtering recommendation algorithms," in *Proc. of the 10th International World Wide Web Conference (WWW10)*, Hong Kong, May 2001.
- [152] R. Schettini, G. Ciocca, and I. Gagliardi, "Content-based color image retrieval with relevance feedback," in *IEEE Int'l Conf. on Image Processing*, Kobe, 1999.
- [153] C. Schmid and R. Mohr, "Local grayvalue invariants for image retrieval," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 19, no. 5, pp. 530-534, 1997.
- [154] H. Schneiderman and T. Kanade, "Probabilistic modeling of local appearance and spatial relationships for object recognition," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, Santa Barbara, CA, 1998, pp. 45-51.
- [155] B. Scholkopf, A. Smola, and K.-R. Muller, "Nonlinear component analysis as a kernel eigenvalue problem," *Neural Computation*, vol. 10, pp. 1299-1319, 1998.
- [156] B. Scholkopf, C. Burges, and A. Smola, *Advances in Kernel Methods: Support Vector Learning*, Cambridge, MA: The MIT Press, 1999.
- [157] B. Scholkopf, *Support Vector Learning*. Munich: R. Oldenbourg Verlag, 1997.
- [158] S. Sclaroff, M. La Cascia, L. Taycher, and S. Sethi, "Unifying textual and visual cues for content-based image retrieval on the World Wide Web," *Computer Vision and Image Understanding, special issue on content-based indexing of image and video databases*, 1999.
- [159] N. Sebe and M.S. Lew, "Comparing salient points detectors," *Pattern Recognition Letters*, Vol. 24, No. 1-3, pp. 89-96, January, 2003
- [160] N. Sebe, M. S. Lew, "Color-based retrieval," *Pattern Recognition Letters*, 22(2), pp. 223-230, 2001.
- [161] U. Shardanand and P. Maes, "Social information filtering: Algorithms for automating 'word of mouth'," in *Proc. of the Computer-Human Interaction Conference (CHI95)*, Denver, CO, May 1995.

References

- [162] A. C. She and T. S. Huang, "Segmentation of road scenes using color and fractal-based texture classification," in *Proc. IEEE Int. Conf. on Image Proc.*, 1994.
- [163] J. Shi and J. Malik, "Normalized cuts and image segmentation," *IEEE Trans. Pattern Anal. Machine Intell.*, 22(8), pp. 888-905, Aug. 2000.
- [164] A. W. M. Smeulders, M. Worring, S. Santini, A. Gupta, and R. C. Jain, "Content-based image retrieval at the end of the early years," *IEEE Trans. on Pattern Analysis and Machine Intelligence*, vol. 22, no. 12, pp. 1349-1380, Dec. 2000.
- [165] J. R. Smith and S.-F. Chang, "Single color extraction and image query," in *Proc. IEEE Int. Conf. Image Processing*, 1994.
- [166] J. R. Smith and S. F. Chang, "Transform features for texture classification and discrimination in large image databases," in *Proc. IEEE Int'l Conf. on Image Processing*, Austin, Texas, Oct. 1994, pp. 407-411.
- [167] J. R. Smith and S. F. Chang, "Tools and techniques for color image retrieval", in *IS&T/SPIE Proc. Vol. 2670, Storage and Retrieval for Image and Video Databases IV*, pp. 426-437, San Jose, CA, 1996.
- [168] J. R. Smith and S. F. Chang, "Automated binary texture feature sets for image retrieval," in *Proc ICASSP-96*, Atlanta, GA, 1996.
- [169] S. M. Smith & J. M. Brady, "SUSAN - A new approach to low level image processing," *Int'l J. of Computer Vision*, 23(1), pp. 45-78, 1997.
- [170] S. W. Smoliar and H. Zhang, "Content-based video indexing and retrieval," *IEEE Multimedia*, vol. 1, no. 2, pp. 62-75, 1994.
- [171] C.G.M. Snoek and M. Worring, "Multimodal video indexing: A review of the state-of-the-art," *Multimedia Tools and Applications*, to appear 2003.
- [172] M. A. Stricker and M. Orengo, "Similarity of color images," In *Storage and Retrieval for Image and Video Databases III, volume 2420 of SPIE Proceedings Series*, pp. 381-392, Feb. 1995.
- [173] M. J. Swain and D. H. Ballard, "Color indexing," *Int'l Journal of Computer Vision*, vol. 7, pp. 11-32, 1991.
- [174] D. Swanberg, C.-F. Shu, and R. Jain, "Knowledge guided parsing in video databases," in *Proc. SPIE Storage and Retrieval for Image and Video Databases*, 1993.
- [175] M. Tabb, N. Ahuja, "Multiscale image segmentation by integrated edge and region detection," *IEEE trans. Image Processing*, Vol. 6, No. 5, May 1997.
- [176] H. Tamura, S. Mori, and T. Yamawaki, "Texture features corresponding to visual perception," *IEEE Trans. on Sys, Man, and Cyb*, SMC8(6), 1978.
- [177] K. Tan, R. Ribier, and S. Liou, "Content-sensitive video streaming over low bitrate and lossy wireless network," in *Proc. the 9th ACM Int'l Conf. on Multimedia*, Ottawa, Canada. Sept. 2001, pp. 512-515.

- [178] G. Taubin, "Recognition and positioning of rigid objects using algebraic moment invariants," in *SPIE Vol. 1570 Geometric Methods in Computer Vision*, 1991.
- [179] K. S. Thyagarajan, T. Nguyen, and C. Persons, "A maximum likelihood approach to texture classification using wavelet transform," in *Proc. IEEE Int. Conf. on Image Proc.*, 1994.
- [180] Q. Tian, N. Sebe, M. S. Lew, E. Loupiaz, and T. S. Huang, "Image retrieval using wavelet-based salient points," *Journal of Electronic Imaging, Special Issue on Storage and Retrieval of Digital Media*, pp. 835-849, Vol. 10(4), 2001.
- [181] K. Tieu and P. Viola, "Boosting image retrieval," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, Hilton Head Island, SC, June 2000, pp. 228-235.
- [182] W. H. Tsai and K. S. Fu, "Error-correcting isomorphism of attributed relational graphs for pattern analysis," *IEEE Trans. System, Man, and Cybernetics*, vol. 9, pp. 757-768, 1979.
- [183] T. Tuytelaars and L. Van Gool, "Content-based image retrieval based on local affinity invariant regions," *3rd Int. Conf. on Visual Information Systems (Visual99)*, pp. 493-500, Amsterdam, 1999.
- [184] B. Vandalore, W.-C. Feng, R. Jain, and S. Fahmy, "A survey of application layer techniques for adaptive streaming of multimedia," OSU Technical Report, OSU-CISRC-5/99-TR14, 1999.
- [185] V. Vapnik, *The Nature of Statistical Learning Theory*. New York: Springer, 1995.
- [186] N. Vasconcelos and A. Lippman, "Bayesian relevance feedback for content-based image retrieval," in *Proc. IEEE Workshop on Content-based Access of Image and Video Libraries*, Hilton Head Island, SC, June 2000, pp. 63-67.
- [187] N. Vasconcelos and A. Lippman, "Learning over multiple temporal scales in image databases," in *Proc. of the European Conf. on Computer Vision*, Dublin, Ireland, 2000, pp. 33-47.
- [188] N. Vasconcelos and A. Lippman, "Statistical models of video Structure for content analysis and characterization," *IEEE Transactions on Image Processing*, vol. 9, no.1, January 2000.
- [189] I. Wallace and O. Mitchell, "Three dimensional shape analysis using local shape descriptors," *IEEE Trans. Patt. Recog. and Mach. Intell.*, PAMI-3(3), May 1981.
- [190] I. Wallace and P. Wintz, "An efficient three dimensional aircraft recognition algorithm using normalized fourier descriptors," *Computer Graphics and Image Processing*, 13, 1980.
- [191] J. Z. Wang, J. Li, G. Wiederhold, "SIMPLiCity: Semantics-sensitive integrated matching for picture libraries," *IEEE Trans. on Pattern Anal. and Machine Intell.* 23(9), pp. 947-963, 2001.

References

- [192] J. Wang, W. Yang, and R. Acharya, "Color clustering techniques for color-content-based image retrieval," in *Proc. IEEE Conf. on Multimedia Computing and Systems*, pp. 442-449, Canada, June 1997.
- [193] S. Wang and J. M. Siskind, "Image segmentation with ratio cut," *IEEE Trans. Pattern Anal. Machine Intell.*, 25(6), pp. 675-690, 2003.
- [194] J. Weszka, C. Dyer, and A. Rosenfeld, "A comparative study of texture measures for terrain classification," *IEEE Trans. on Sys, Man, and Cyb*, SMC-6(4), 1976.
- [195] E. Wold, T. Blum, D. Keislar, and J. Wheaton, "Content-based classification, search, and retrieval of audio," *IEEE Multimedia Magazine*, vol. 3, no. 3, pp. 27-36, July-Sept. 1996.
- [196] C. Wolf, "Content based image retrieval using interest points and texture features," *Technical Report PRIP-TR-061, Vienna University of Technology*, April 2000.
- [197] C. Wolf, J.-M. Jolion, W. Kropatsch, and H. Bischof, "Content based image retrieval using interest points and texture features," in *Proc. of the Int'l Conf. on Pattern Recognition*, vol. 4, pp. 234-237, Barcelona, Spain, 2000.
- [198] W. Wolf, "Key frame selection by motion analysis," in *Proc. IEEE Int'l Conf. Acoust., Speech, and Signal Proc.*, 1996.
- [199] M. Wood, N. Campbell, and B. Thomas, "Iterative refinement by relevance feedback in content-based digital image retrieval," in *Proc. 6th ACM Int'l Conf. on Multimedia*, Bristol, UK, Sept. 1998, pp. 13-20.
- [200] M. Worring, A. Smeulders, and S. Santini, "Interaction in content-based image retrieval: A state-of-the-art review," in *Int'l Conf. on Visual Information Systems*, Lyon, France, Aug. 2000, pp. 26-36.
- [201] L. Wu, C. Faloutsos, K. Sycara, and T. Payne, "FALCON: Feedback adaptive loop for content-based retrieval," in *Proc. The 26th Int'l Conf. on Very Large Data Bases*, Cairo, Egypt, Sept. 2000, pp. 297-306.
- [202] M. Wu, R. Joyce, H-S. Wong, L. Guan, and S-Y. Kung, "Dynamic resource allocation via video content and short-term traffic statistics," *IEEE Trans. on Multimedia, Special Issue on Multimedia Over IP*, vol. 3, no. 2, pp. 186-199, 2001.
- [203] Y. Wu, Q. Tian, and T. S. Huang, "Discriminant EM algorithm with application to image retrieval," in *Proc. IEEE Conf. on Computer Vision and Pattern Recognition*, Hilton Head Island, SC, June, 2000, pp. 222-227.
- [204] N. Xu, R. Bansal, and N. Ahuja, "Object segmentation using graph cuts based active contours," in *Proc. IEEE Conf. on Computer Vision and Pattern Recog.*, June, 2003.
- [205] Y. Xu, E. Saber and A. M. Tekalp, "Hierarchical content description and object formation by learning," *IEEE Workshop CBAIVL*, Colorado, 1999.

- [206] L. Yang and F. Algrejtsen, "Fast computation of invariant geometric moments: A new method giving correct results," in *Proc. IEEE Int. Conf. on Image Proc.*, 1994.
- [207] B.-L. Yeo, "Efficient processing of compressed images and video," *Technical report, PhD thesis, Princeton University*, 1996.
- [208] B.-L. Yeo, "Rapid scene analysis on compressed video," *IEEE Trans. on Circuits and Systems for Video Technology*, Vol. 5, No. 6, pp. 533-544, December 1995.
- [209] M. Yeung, B.-L. Yeo, and B. Liu, "Extracting story units from long programs for video browsing and navigation," in *Proc. IEEE Conf. on Multimedia Computing and Systems*, 1996.
- [210] M. Yeung, B.-L. Yeo, W. Wolf, and B. Liu, "Video browsing using clustering and scene transitions on compressed sequences," in *Proc. of Multimedia Computing and Networking, volume SPIE 2417*, 1995.
- [211] R. Zabih, J. Miller, and K. Mai, "A feature-based algorithm for detecting and classifying scene breaks," in *Proc. ACM Conf. on Multimedia*, 1995.
- [212] C. T. Zahn and R. Z. Roskies, "Fourier descriptors for plane closed curves," *IEEE Trans. on Computers*, vol. 21, no. 3, pp. 269-281, 1972.
- [213] H. J. Zhang, A. Kankanhalli, and S. W. Smoliar, "Automatic partitioning of full-motion video," *ACM Multimedia Systems*, 1(1), 1993.
- [214] H. J. Zhang, Y. Gong, S. W. Smoliar, and S. Y. Tan, "Automatic parsing of news video," in *Proc. IEEE Conf. on Multimedia Computing and Systems*, 1994.
- [215] H. J. Zhang, S. W. Smoliar, and J. J. Wu, "Content-based video browsing tools," in *Proc. IS&T/SPIE Conf. on Multimedia Computing and Networking*, 1995.
- [216] H. J. Zhang, Y. A. Wang, and Y. Altunbasak, "Content-based video retrieval and compression: A unified solution," in *Proc. IEEE Int'l Conf. on Image Proc.*, 1997.
- [217] H. Zhang, J. Wu, D. Zhong, and S. W. Smoliar, "An iterated system for content-based video retrieval and browsing," *Pattern Recognition*, vol. 30, no. 4, pp. 643-658, 1997.
- [218] H. J. Zhang, C. Y. Low, S. W. Smoliar, and D. Zhong, "Video parsing, retrieval and browsing: An integrated and content-based solution," in *Proc. ACM Conf. on Multimedia*, 1995.
- [219] H. J. Zhang and S. W. Smoliar, "Developing power tools for video indexing and retrieval," in *Proc. SPIE Storage and Retrieval for Image and Video Databases*, 1994.
- [220] Z.-L. Zhang, S. Nelakuditi, R. Aggarwa, and R. P. Tsang, "Efficient server selective frame discard algorithms for stored video delivery over resource constrained networks," in *Proc. Joint Conf. of the IEEE Computer and Communications Societies (INFOCOM)*, New York, NY, March, 1999, pp. 472-479.

References

- [221] D. Zhong, H. J. Zhang, and S.-F. Chang, "Clustering methods for video browsing and annotation," *Technical report, Columbia Univ.*, 1997.
- [222] X. S. Zhou and T. S. Huang, "A generalized relevance feedback scheme for image retrieval," in *Proc. SPIE Vol. 4210: Internet Multimedia Management Systems*, Boston, MA. Nov. 2000.
- [223] X. S. Zhou and T. S. Huang, "Small sample learning during multimedia retrieval using BiasMap," in *IEEE Conf. on Computer Vision and Pattern Recognition*, Hawaii, Dec. 2001.
- [224] X. S. Zhou and T. S. Huang, "Comparing discriminating transformations and SVM for multimedia retrieval," in *Proc. 9th ACM Int'l Conf. on Multimedia*, Ottawa, Canada. Sept. 2001, pp. 137-146.
- [225] X. S. Zhou and S.-P. Liou, "Optimal nonlinear sampling for video streaming at low bit rates," *IEEE Trans. on Circuits and Systems for Video Technology, Special Issue on Wireless Video*, accepted, 2002.
- [226] X. S. Zhou and T. S. Huang, "Unifying keywords and contents in image retrieval," *IEEE Multimedia*, April-June Issue, 2002.
- [227] X. S. Zhou and T. S. Huang, "Image retrieval: Feature primitives, feature representation, and relevance feedback," in *IEEE Workshop on Content-based Access of Image and Video Libraries*, Hilton Head, SC. June, 2000, pp. 10-14.
- [228] X. S. Zhou, B. Moghaddam, and T. S. Huang, "ICA-based probabilistic local appearance modeling," in *IEEE Int'l Conf. on Image Processing*, Greece, 2001.
- [229] X. S. Zhou and T. S. Huang, "Edge-based structural feature for content-based image retrieval," *Pattern Recognition Letters*, vol. 22, no. 5, pp. 457-468, Apr. 2001.
- [230] X. S. Zhou and T. S. Huang, "Relevance feedback for image retrieval: A comprehensive review," *ACM Multimedia Systems Journal*, 8(6), pp. 536-544, 2003.
- [231] Y. Zhuang, Y. Rui, T. S. Huang, and S. Mehrotra, "Adaptive key frame extraction using unsupervised clustering," in *Proc. IEEE Int'l Conf. on Image Proc.*, 1998.

INDEX

- ARG, 163. *See* attributed relational graph
- Atlas, 35
- attributed relational graph, 163
- backtracking, 84, 86, 87, 90, 92
- BBDA. *See* boosting biased discriminant analysis
- BDA, 104, 122, 123, 125, 127, 128, 129, 130, 136, 137, 138, 139, 140, 143, 145, 146
- generalized, 123
- biased discriminant analysis, 122
 - boosting, 127
 - kernel, 129
- body plan, 163
- boosting, 3, 103, 127, 129, 143, 145, 170
- chain code, 9
- Chamfer matching, 9
- class-conditional density, 41
- classification, 41, 169
- clique, 151, 159, 161
- color, 6, 15, 30, 33, 34, 79, 175, 178, 179, 180
- color histogram, 6, 11, 20, 59, 68, 69, 70, 79, 80, 103
 - cumulated, 6
- color moments, 6, 10, 20, 114, 137, 152
- color pattern, 11
- content-sensitive, 3, 93, 179
- content-sensitive access of video, 3
- co-occurrence matrix, 7, 8, 10
- correlogram, 10
- cross-scale matching, 24, 35, 36
- D-EM algorithm, 3, 104
- dimensionality reduction, 122
- discounting factor, 124
- discriminant analysis, 104, 120, 121, 122, 123, 126, 130, 140, 167, 170
 - Fisher, 120
 - multiple, 121
 - discriminating transform, 125, 126, 127
- distance learning, 76
- distance-sensitive histogramming, 39, 40, 43
- dynamic programming, 83, 84
- enqueue line, 85, 87, 88, 89, 92
- FDA. *See* Fisher discriminant analysis
- feature extraction, 2, 5, 20, 33, 45, 59
- Fourier descriptor, 8, 9, 10
- Fourier power spectrum, 8
- frame rate, 76, 81, 83
- frame saliency scoring, 79
- Gabor transform, 8
- Gaussian
 - distribution, 120, 136
 - normalization, 68
- generalized eigen-analysis, 134
- generalized Rayleigh quotient, 134
- graph cut, 13
- graph traverse, 18
- greedy strategy, 87
- groupThreshold, 67, 69, 70, 72
- Harris operator, 45
- Hilbert space, 135
- histogram factorization, 40, 42, 47
- histology, 35
- hit rate, 140, 142, 143, 145
- Hopfield network, 151, 159, 160, 161
- ICA, 39, 42, 44, 46, 47, 49, 102, 183.
 - See* independent component analysis
- image retrieval, 49, 171, 177, 179, 183
- image segmentation, 12
- independent component analysis, 39, 40, 42, 102
- information retrieval, 2, 4, 15, 76, 98, 99, 100, 115, 127, 141, 143
- interest point, 11
- Internet, 35, 182

Index

- KBDA, 129, 140, 142, 143, 145. *See*
 - kernel biased discriminant analysis
- key frame extraction, 59
- key frames, 56
- key-segments, 91
- knapsack problem, 92
- k -tuple, 40, 41, 42, 43
- landscape image, 25
- layout, 10
- limited buffer, 77, 78, 79, 81, 85, 87, 92, 94
- local jets, 12, 45
- local minimum, 138
- MARS, 7, 107, 108, 110, 111, 112, 113, 116, 171, 175, 176
- MDA. *See* multiple discriminant analysis
- MDL. *See* minimum description length
- medical image retrieval, 35
- Mercer kernel, 135
- MindReader, 107, 108, 109, 110, 111, 112, 113, 116, 172
- minimum buffer, 80, 81, 84
- minimum description length, 121
- moment invariants, 8, 9, 10, 16, 171, 179
- MPEG-4, 76, 172
- MPEG-7, 24, 25
- multi-dimensional scaling, 11
- multimedia information system, 2
- object detection, 2, 39, 40, 44, 45, 46, 48
- object localization, 52
- optimal frame selection problem, 77, 92
- optimization, 3, 78, 90, 94, 103, 106, 108, 109, 110, 111, 115
 - hierarchical, 109
 - integer, 82
- perception-guided information
 - access, 2
- pictorial structure, 163
- QM. *See* query movement
- query movement, 143
- RankBoost, 127, 128, 129, 143, 145
- RankBoost.H, 129, 143, 145
- RBF kernel, 135, 140, 142, 145
- regularization, 124
- relevance feedback, 3, 4, 16, 23, 25, 30, 31, 32, 34, 97, 99, 100, 101, 102, 103, 104, 105, 107, 115, 117, 134, 135, 137, 138, 145, 146, 147, 149, 150, 151, 152, 153, 154, 156, 157, 158, 169, 171, 176, 177, 180, 181, 182, 183
- reproducing kernel, 101, 135
- scale invariance, 24
- scene structure, 62
- Self-Organizing Map, 3, 102
- semantic gap, 1, 2
- shape, 8, 9, 15, 17, 167, 174, 176
- shape context, 9
- shortest path, 21, 82, 83
- shot boundary detection, 59
- sigmoid function, 160
- signal-to-noise ratio, 76, 158
- singularity, 103, 109, 124
- spatial dependency, 39, 43, 52
- spatio-temporal feature extraction, 59
- spillover, 140, 141
- structural features, 15, 17
- support vector machine, 3, 99, 103, 119, 171
- SVM, 99, 103, 130, 135, 140, 141, 142, 143, 168, 182. *See* support vector machine
- synonym, 162
- T-C knapsack problem, 92, 95
- texture, 7, 16, 30, 51, 168, 170, 171, 172, 179
- thesaurus construction, 149, 150, 151, 157, 162
- time-adaptive grouping, 60
- time-varying bandwidth, 90
- unsupervised clustering, 121
- user interaction*, 3, 87
- user-in-the-loop, 16, 87, 98, 149
- video conferencing, 76
- video ToC, 54, 55, 56, 57, 58, 59, 64, 65, 67, 71, 72, 73
- WARF, 4, 149, 157, 158, 160, 162.
 - See* word association via relevance feedback
- water-filling algorithm, 18, 19, 51
- wavelet moments, 20, 25, 27, 35, 50, 137, 152

Index

19

wavelet transform, 7, 8, 9, 20, 168,
173, 179
 bi-orthogonal, 8
 Gabor, 8
WF. *See* water-filling algorithm
word association via relevance
 feedback, 157
WT, 137, 138, 143. *See* whitening
 transform
Z-B diagram, 77, 85, 86, 88, 89, 90,
92

Index